

Product Index

Published July 2024

Splashpad®
PoolPlay™
Lazy River
Playable Fountain
Water management
CoolHub™



ASTRA N°1
VOR 7697


Dimensions
102×63×63 in
259×160×160 cm

Flow
10-25 GPM
38-95 LPM

Safeswap N°2

Pressure
5-8 PSI
0.3-0.6 BAR

Seeflow™ Buckets*
*All of same color



HELIO N°2
VOR 7237

Dimensions
49×32×32 in
124×81×81 cm

Flow
4-8 GPM
15-30 LPM

Safeswap N°2

Pressure
4-5 PSI
0.3-0.3 BAR

Orb



ASTRA N°2
VOR 7698


Dimensions
107×79×79 in
259×160×160 cm

Flow
5-10 GPM
19-38 LPM

Safeswap N°2

Pressure
5-8 PSI
0.3-0.6 BAR

Seeflow™ Buckets*
*All of same color



HELIO N°3
VOR 7238


Dimensions
49×32×32 in
124×81×81 cm

Flow
2-4 GPM
8-15 LPM

Safeswap N°2

Pressure
4-7 PSI
0.3-0.5 BAR

Orb



ASTRA N°3
VOR 7699

Dimensions
102×63×63 in
259×160×160 cm

Flow
10-25 GPM
38-95 LPM

Heavy Duty Safeswap N°1

Pressure
5-8 PSI
0.3-0.6 BAR



HELIO N°4
VOR 7239

Dimensions
46×45×32 in
116×114×81 cm

Flow
20-30 GPM
76-114 LPM

Safeswap N°2

* Great for use in PoolPlay™

Pressure
3-4 PSI
0.2-0.3 BAR

Orb



BOBBLE N°1
VOR 7232

Dimensions
36×21×21 in
91×53×53 cm

Flow
4-8 GPM
15-30 LPM

Safeswap N°2

Pressure
6-12 PSI
0.4-0.8 BAR

Seeflow™ Bowl
Orb



HELIO N°5
VOR 7240

Dimensions
135×41×32 in
342×104×81 cm

Flow
13-15 GPM
49-57 LPM

Safeswap N°1

Pressure
15-18 PSI
1.0-1.2 BAR

Orb



BOBBLE N°2
VOR 7233


Dimensions
34×40×43 in
86×101×109 cm

Flow
17-26 GPM
64-98 LPM

Safeswap N°2

Pressure
5-6 PSI
0.3-0.4 BAR

Seeflow™ Bowls
Orbs



HELIO N°6
VOR 7241


Dimensions
147×45×32 in
373×114×81 cm

Flow
10-16 GPM
38-61 LPM

Heavy Duty Safeswap N°1

Pressure
8-11 PSI
0.6-0.8 BAR

Orb



HELIO N°1
VOR 7236

Dimensions
50×32×32 in
127×81×81 cm

Flow
43-50 GPM
163-189 LPM

Safeswap N°2

* Great for use in PoolPlay™

Pressure
5-6 PSI
0.3-0.4 BAR

Orb



LUNA CANNON N°1
VOR 7235

Dimensions
39×27×12 in
99×68×30 cm


Flow
6-7 GPM
23-26 LPM

Safeswap N°2

Pressure
7-8 PSI
0.5-0.6 BAR

Orb





LUNA N°1
VOR 7230


Dimensions
56x85x12 in
142x215x30 cm

Flow
8-12 GPM
30-45 LPM

Pressure
3-5 PSI
0.2-0.4 BAR

Orbs


Safeswap N°2 (only x1)



LUNA N°2
VOR 7231

Dimensions
49x77x21 in
124x195x53 cm


Flow
6-8 GPM
22-30 LPM

Pressure
4-6 PSI
0.3-0.4 BAR

Seeflow™ Bowl

Orbs


* Specific Safeswap



LUNA N°3
VOR 7234

Dimensions
69x58x20 in
175x147x50 cm

Flow
5-8 GPM
19-30 LPM

Pressure
6-10 PSI
0.4-0.7 BAR

Orb


Safeswap N°1 (only x1)

Splashpad® Natutical
Product Index



BOW N°2
VOR 7783

Dimensions
46x22x31.5 in
117x56x80 cm

Flow
4-6 GPM
15-23 LPM

Safeswap N°2
* Fix color combinations

Pressure
5-7 PSI
0.3-0.5 BAR

Seeflow™ Panel




BOAT WHEEL N°1
VOR 7678


Dimensions
52x22x29 in
132x56x74 cm

Flow
3-6 GPM
11-23 LPM

Safeswap N°2

Pressure
10-15 PSI
0.7-1.0 BAR

Seeflow™ Wheel

BOAT ANCHOR N°1
VOR 7791


Dimensions
118x62x39 in
299x157x99 cm

Flow
29-34 GPM
110-129 LPM

Safeswap N°1

Pressure
8-12 PSI
0.6-0.8 BAR

Seeflow™ Panel

SAIL TWIRL N°1
VOR 7677

Dimensions
159x71x12 in
405x180x30.5 cm

Flow
3-6 GPM
11-23 LPM

Safeswap N°2
* Available with custom graphics

Pressure
10-15 PSI
0.7-1.0 BAR



SAILBOAT N°3
VOR 7680

Dimensions
237x79x121 in
602x201x307 cm

Flow
11-22 GPM
42-83 LPM

Embeds X7 + Safeswap N°2 X1
* Fix color combinations

Pressure
10-15 PSI
0.7-1.0 BAR

Seeflow™ + Bucket




FISH N°1
VOR 7218

Dimensions
33x27x14 in
83x69x36 cm

Flow
3-5 GPM
11-19 LPM

Safeswap N°1

Pressure
10-15 PSI
0.7-1.0 BAR

Seeflow™ Fins



SNAIL N°4
VOR 7217

Dimensions
31x18x27 in
79x45x68 cm

Flow
5-8 GPM
19-30 LPM

Safeswap N°1
* Fix color combinations

Pressure
5-10 PSI
0.3-0.7 BAR



CRAB N°1
VOR 7208

Dimensions
27x29x20.5 in
69x74x52 cm

Flow
3-5 GPM
11-19 LPM

Safeswap N°1

Pressure
10-15 PSI
0.7-1.0 BAR

Seeflow™ Claws



FROG N°1
VOR 7200

Dimensions
25x20x20 in
64x51x51 cm

Flow
10-13 GPM
38-49 LPM

Safeswap N°1

Pressure
5-10 PSI
0.3-0.7 BAR



TURTLE N°2
VOR 7216

Dimensions
23x26x29 in
58x65x73 cm

Flow
10-15 GPM
38-57 LPM

Safeswap N°1

Pressure
2-4 PSI
0.1-0.3 BAR

Leg panels (opaque)



FROG N°2
VOR 7201

Dimensions
25x20x20 in
64x51x51 cm

Flow
3-5 GPM
11-19 LPM

Safeswap N°1

Pressure
10-15 PSI
0.7-1.0 BAR



BUTTERFLY N°1
VOR 7792

Dimensions
31x25x18 in
78x63x45 cm

Flow
5-8 GPM
19-30 LPM

Safeswap N°1

Pressure
5-10 PSI
0.3-0.7 BAR

Seeflow™ Upper Wings

Seeflow™ Lower Wings



FROG N°5
VOR 7658

Dimensions
111x58x40 in
279x157x102 cm

Flow
80-100 GPM
303-379 LPM

Safeswap N°1 X2
* Great for use in PoolPlay™

Pressure
5-10 PSI
0.3-0.7 BAR

Seeflow™ Fins



SNAKE N°1
VOR 7213

Dimensions
137x57x24 in
349x145x61 cm

Flow
20-40 GPM
76-151 LPM

Safeswap N°1
* Great for use in PoolPlay™

Pressure
10-20 PSI
0.7-1.4 BAR

Seeflow™ Fins



JELLYFISH N°1
VOR 7215

Dimensions
108x40x42 in
274x102x107 cm

Flow
80-100 GPM
303-379 LPM

Safeswap N°2 X3
* Great for use in PoolPlay™

Pressure
5-10 PSI
0.3-0.7 BAR

Seeflow™ Crest



SNAKE N°2
VOR 7214

Dimensions
142x56x20 in
361x143x51 cm

Flow
5-8 GPM
19-30 LPM

Safeswap N°1

Pressure
10-15 PSI
0.7-1.0 BAR

Seeflow™ Fins



SPIDER
VOR 7653

Dimensions
191x153x139 in
485x388x353 cm

Flow
30-40 GPM
114-151 LPM

Safeswap N°2 X4

Pressure
8-10 PSI
0.6-0.7 BAR

Fang/Claws/Legs



BEAR CANNON
VOR 7602

Dimensions
45x16x15 in
114x41x39 cm

Flow
4-6 GPM
15-23 LPM

Safeswap N°1
* Limited color propositions

Pressure
5-7 PSI
0.3-0.5 BAR



SCORPION
VOR 7652

Dimensions
190x139x187 in
482x353x475 cm

Flow
59-121 GPM
223-258 LPM

* Specific Safeswap N°15 X1 + N°2 X5

Pressure
10-25 PSI
0.7-1.7 BAR

Body/Bucket/Claws



WOLF CANNON
VOR 7601

Dimensions
45x14x15 in
117x35x39 cm

Flow
4-6 GPM
15-23 LPM


Safeswap N°1
* Limited color propositions

Pressure
5-7 PSI
0.3-0.5 BAR

Seeflow™ ears



NEW



ELEPHANT LOOP
VOR 8861

Dimensions
80x11x81 in
203x28x206 cm

Flow
10-14 GPM
38-53 LPM

Safeswap N°2 X2

Pressure
8-12 PSI
0.5-0.8 BAR

Seeflow™ ears



HORSE CANNON
VOR 0210


Dimensions
45x21x13 in
115x53x33 cm

Flow
4-6 GPM
15-23 LPM

Safeswap N°1
* Limited color propositions

Pressure
5-7 PSI
0.3-0.5 BAR

Seeflow™ Hair




ALLIGATOR
VOR 1102

Dimensions
23x25x32 in
58x64x81 cm

Flow
25-30 GPM
94-113 LPM

* Fix color proposition
* Great for use in PoolPlay™

Pressure
5-8 PSI
0.3-0.6 BAR



MONKEY CANNON
VOR 0205


Dimensions
45x15x17 in
114x39x43 cm

Flow
4-6 GPM
15-23 LPM

Safeswap N°1
* Fix color combinations

Pressure
5-7 PSI
0.3-0.5 BAR

NEW



HELICO BIRDS
VOR 7258

Dimensions
155x111x30 in
394x282x76 cm

Flow
10-15 GPM
37-56 LPM

Safeswap N°2

Pressure
7-10 PSI
0.5-0.7 BAR

Seeflow™ Bird Body



PIRATE CANNON
VOR 0209


Dimensions
44x12x18 in
112x30x46 cm

Flow
4-6 GPM
15-23 LPM

Safeswap N°1

Pressure
5-7 PSI
0.3-0.5 BAR

NEW



HELICO BUTTERFLIES
VOR 7262

Dimensions
161x99x28 in
409x251x71 cm


Flow
8-12 GPM
30-45 LPM

Safeswap N°2
* Fix color combinations

Pressure
5-7 PSI
0.3-0.5 BAR

Seeflow™ Wings




SEA SILHOUETTE ANGELFISH

VOR 7685


Dimensions
 140x93x13 in
 356x236x33 cm

Flow
 11-19 GPM
 42-72 LPM

Pressure
 6-10 PSI
 0.4-0.7 BAR

Seeflow™ Face


*Safeswap N°22 w Podspray


SEA SILHOUETTE PELICAN


VOR 7688

Dimensions
 143x102x13 in
 363x259x33 cm

Flow
 5-10 GPM
 19-38 LPM

Pressure
 6-10 PSI
 0.4-0.7 BAR

Seeflow™ Beak

 Safeswap N°2
 *Fix color propositions

SEA SILHOUETTE FISH

VOR 7687

Dimensions
 144x59x13 in
 366x150x33 cm

Flow
 10-18 GPM
 38-68 LPM

Pressure
 6-10 PSI
 0.4-0.7 BAR

Seeflow™ Face


Safeswap N°1


DOLPHIN

VOR 7255


Dimensions
 48 x16 x29 in
 122 x41 x73 cm

Flow
 6-12 GPM
 23-45 LPM

Pressure
 5-8 PSI
 0.3-0.6 BAR

Seeflow™ Body


Safeswap N°2


SEA SILHOUETTE TURTLE

VOR 7689


Dimensions
 154x133x13 in
 391x338x33 cm

Flow
 6-10 GPM
 23-38 LPM

Pressure
 4-6 PSI
 0.3-0.4 BAR

Seeflow™ Head/Bucket


Safeswap N°1


SEA SILHOUETTE WHALE

VOR 7259

Dimensions
 138 x82 x165 in
 352 x209 x420 cm

Flow
 13-21 GPM
 49-79 LPM

Pressure
 14-24 PSI
 1.0-1.7 BAR

Seeflow™ Parts


Safeswap N°1 X3


SEA SILHOUETTE OCTOPUS

VOR 7691

Dimensions
 85x134x129 in
 216x340x327 cm

Flow
 17-37 GPM
 64-140 LPM

Pressure
 10-25 PSI
 0.7-1.7 BAR

Seeflow™ Tentacles


Safeswap N°1 X1, Safeswap N°2 X4



FLOWER N°1
VOR 7549

Dimensions
135x28x65 in
343x72x165 cm

Flow
5-25 GPM
19-95 LPM

Safeswap N°1

Pressure
5-10 PSI
0.3-0.7 BAR

Seeflow™ Dome



NEW



FLOWER N°10
VOR 7260

Dimensions
73x18x30 in
185x47x76 cm

Flow
2-3 GPM
7.5-11 LPM

Safeswap N°2

Pressure
2-4 PSI
0.1-0.3 BAR

Seeflow™ Flower



Seeflow™ Leaves



FLOWER N°2
VOR 7550

Dimensions
135x107x30 in
343x272x76 cm

Flow
15-30 GPM
57-114 LPM

Safeswap N°1

Pressure
5-10 PSI
0.3-0.7 BAR

Seeflow™ Dome/Flower



AQUALIEN FLOWER N°1
VOR 7388

Dimensions
98x30x30 in
249x76x76 cm

Flow
5-10 GPM
19-38 LPM

Safeswap N°2

Pressure
4-6 PSI
0.3-0.4 BAR

Seeflow™ Dome



NEW



FLOWER N°5
VOR 7265

Dimensions
153x19x102 in
389x48x259 cm

Flow
4-6 GPM
15-23 LPM

Safeswap N°1

Pressure
4-5 PSI
0.3-0.35 BAR

Seeflow™ Flower



AQUALIEN FLOWER N°2
VOR 1331

Dimensions
86x30x30 in
218x76x76 cm

Flow
1-5 GPM
4-19 LPM

Safeswap N°2

Pressure
5-7 PSI
0.3-0.5 BAR

Seeflow™ Flower



NEW



FLOWER N°6
VOR 7266

Dimensions
153x30x99 in
390x76x251 cm

Flow
10-13 GPM
38-49 LPM


Safeswap N°1

Pressure
5-6 PSI
0.3-0.4 BAR

Seeflow™ Flower



Seeflow™ Spinner



AQUALIEN FLOWER N°3
VOR 7389

Dimensions
44x20x20 in
112x50x50 cm

Flow
1-3 GPM
4-11 LPM

Safeswap N°2

Pressure
3-4 PSI
0.2-0.3 BAR

Seeflow™ Dome



NEW



FLOWER N°7
VOR 7267

Dimensions
153x19x49 in
390x48x124 cm

Flow
2-4 GPM
8-15 LPM

Safeswap N°1

Pressure
4-5 PSI
0.3-0.35 BAR

Seeflow™ Flower



NEW



TALL GRASS N°1
VOR 7263

Dimensions
75x15x19 in
190x38x49 cm

Flow
5-10 GPM
19-38 LPM

Safeswap N°2

Pressure
8.12 PSI
0.6-0.8 BAR

Seeflow™



NEW



FLOWER N°9
VOR 7268

Dimensions
153x90x77 in
389x229x195 cm

Flow
4-8 GPM
15-30 LPM


Safeswap N°1

Pressure
4-5 PSI
0.3-0.35 BAR

Seeflow™ Flower



NEW



TALL GRASS N°2
VOR 7264

Dimensions
96x16x17 in
244x40x43 cm


Flow
2-4 GPM
8-15 LPM

Safeswap N°2

Pressure
1-3 PSI
0.1-0.2 BAR

Seeflow™





CATTAIL
VOR 7538

Dimensions
128x13x33 in
325x33x84 cm

Flow
2-6 GPM
8-23 LPM

Safeswap N°2

Pressure
6-8 PSI
0.4-0.6 BAR

SeeFlow™ Cattail



LEAF N°1
VOR 7548


Dimensions
129x97x35 in
327x246x89 cm

Flow
3-6 GPM
11-23 LPM

Safeswap N°1

Pressure
10-20 PSI
0.7-1.4 BAR

SeeFlow™ Leaf



CATTAIL TWIRL
VOR 7782

Dimensions
143x12x35 in
362x30x89 cm

Flow
2-4 GPM
8-15 LPM

Safeswap N°2

Pressure
5-6 PSI
0.3-0.4 BAR

SeeFlow™ Cattail



LEAF N°2
VOR 7657

Dimensions
129x97x35 in
327x246x89 cm

Flow
3-8 GPM
11-30 LPM

Safeswap N°1

Pressure
5-10 PSI
0.3-0.7 BAR

SeeFlow™ Leaf



VINE
VOR 7784

Dimensions
131x58x76 in
333x148x193 cm

Flow
4-6 GPM
15-23 LPM

Safeswap N°2

Pressure
5-6 PSI
0.3-0.4 BAR

SeeFlow™ Leaves



LEAF N°3
VOR 7672

Dimensions
129x121x55 in
328x307x140 cm

Flow
5-15 GPM
19-57 LPM

Safeswap N°1

Pressure
5-10 PSI
0.3-0.7 BAR

SeeFlow™ Leaves



GARDENBUG
VOR 7785


Dimensions
138x56x98 in
350x142x249 cm

Flow
6-12 GPM
23-45 LPM

Safeswap N°2

Pressure
6-8 PSI
0.4-0.6 BAR

SeeFlow™ Hands



BLOOM N°1
VOR 7486

Dimensions
120x55x64 in
305x140x163 cm

Flow
7-10 GPM
26-38 LPM

Safeswap N°2

Pressure
6-9 PSI
0.4-0.6 BAR

SeeFlow™ Leaves



SeeFlow™ Petals




PALM TREE
VOR 0509

Dimensions
150x79x78 in
381x200x198 cm

Flow
10-20 GPM
38-76 LPM

Safeswap N°1
* Limited color proposition

Pressure
10-15 PSI
0.7-1.0 BAR



OAK TREE
VOR 8493

Dimensions
199x14x95 in
505x35x241 cm

Flow
8-15 GPM
30-57 LPM

Heavy Duty Safeswap N°1
* Fix color proposition

Pressure
10-25 PSI
0.7-1.7 BAR

SeeFlow™ Leaves/Bucket



WAVY PALM
VOR 0510

Dimensions
150x82x82 in
380x208x208 cm

Flow
10-20 GPM
38-76 LPM

Safeswap N°1
* Limited color proposition

Pressure
10-15 PSI
0.7-1.0 BAR



PINE TREE
VOR 8610

Dimensions
168x110x104 in
427x280x264 cm

Flow
20-30 GPM
76-114 LPM

Safeswap N°1
* Fix color proposition

Pressure
10-15 PSI
0.7-1.0 BAR

SeeFlow™ Leaves





SPRIG N°1
VOR 1120

Dimensions
142×44×98 in
361×112×249 cm

Flow
30-45 GPM
114-170 LPM

Safeswap N°1
* Great for use in PoolPlay™

Pressure
5-6 PSI
0.3-0.4 BAR

Seeflow™ Leaf



SPRIG N°2
VOR 1121


Dimensions
144×44×98 in
365×112×249 cm

Flow
35-50 GPM
132-189 LPM

Safeswap N°1
* Great for use in PoolPlay™

Pressure
5-6 PSI
0.3-0.4 BAR

Seeflow™ Leaf



SEAWEED N°1
VOR 7779

Dimensions
57×11×25 in
145×27×62 cm

Flow
2-4 GPM
8-15 LPM

Safeswap N°2

Pressure
5-10 PSI
0.3-0.7 BAR

Seeflow™ Leaves




FLOWER
VOR 0564

Dimensions
140×75×75 in
356×191×191 cm

Flow
10-20 GPM
38-76 LPM

Safeswap N°1

Pressure
10-15 PSI
0.7-1.0 BAR



SEAWEED N°3
VOR 7781

Dimensions
87×22×24 in
221×55×61 cm

Flow
4-7 GPM
15-26 LPM

Safeswap N°2

Pressure
5-10 PSI
0.3-0.7 BAR

Seeflow™ Leaves





SILHOUETTE N°1


VOR 7772

Dimensions
40×13×13 in
102×33×33 cm

Pressure
2-4 PSI
0.1-0.3 BAR

Flow
25-40 GPM
95-151 LPM

Safeswap N°1



OMBRELLO N°1

VOR 7445

Dimensions
122×36×36 in
310×91×91 cm

Pressure
5-6 PSI
0.3-0.4 BAR

Flow
5-7 GPM
19-27 LPM

Seeflow™ Umbrella



Safeswap N°2



SILHOUETTE N°2

VOR 7773

Dimensions
55×13×13 in
139×33×33 cm

Pressure
4-6 PSI
0.3-0.4 BAR

Flow
4-6 GPM
15-23 LPM

Safeswap N°1



OMBRELLO N°3

VOR 7441

Dimensions
112×36×38 in
284×91×96 cm

Pressure
5-6 PSI
0.3-0.4 BAR

Flow
5-7 GPM
19-27 LPM

Seeflow™ Umbrella



Safeswap N°2



SILHOUETTE N°3


VOR 7774

Dimensions
79×26×13 in
201×66×33 cm

Pressure
5-10 PSI
0.3-0.7 BAR

Flow
4-8 GPM
15-30 LPM

Safeswap N°1



OMBRELLO TWIRL N°1

VOR 7446

Dimensions
122×36×36 in
310×91×91 cm

Pressure
5-6 PSI
0.3-0.4 BAR

Flow
5-7 GPM
19-26 LPM

Seeflow™ Umbrella



Safeswap N°2



SILHOUETTE N°4


VOR 7776

Dimensions
112×21×25 in
286×55×64 cm

Pressure
10-15 PSI
0.7-1.0 BAR

Flow
6-12 GPM
23-45 LPM

Safeswap N°1



SILHOUETTE N°5


VOR 7777

Dimensions
85×19×23 in
215×50×59 cm

Pressure
5-10 PSI
0.3-0.7 BAR

Flow
4-7 GPM
15-26 LPM

Safeswap N°1



REFRESH N°1

VOR 8767

Dimensions
102×16×11 in
259×41×27 cm

Pressure
20-30 PSI
1.4-2.0 BAR

Flow
0.1-0.2 GPM
0.4-0.8 LPM

* Specific Safeswap



BAMBOO CANNON N°2
VOR 7721

Dimensions
49×32×10 in
124×81×25 cm

Flow
2-7 GPM
8-26 LPM

Safeswap N°6 w Podspray

Pressure
5-10 PSI
0.3-0.7 BAR

Seeflow™ Accent



BAMBOO TREE N°1
VOR 7725

Dimensions
170×71×11 in
431×180×27 cm

Flow
1-2 GPM
4-8 LPM

Safeswap N°2

Pressure
5-10 PSI
0.3-0.7 BAR

Seeflow™ Leaves



BAMBOO TWIN CANNON
VOR 7786

Dimensions
31×14×26 in
78×35×66 cm

Flow
3-4 GPM
11-15 LPM

Safeswap N°2

Pressure
3-5 PSI
0.2-0.3 BAR

Seeflow™ Accent



BAMBOO TREE N°2
VOR 7789

Dimensions
143×46×27 in
363×116×68 cm

Flow
3-4 GPM
11-15 LPM

Safeswap N°2

Pressure
4-5 PSI
0.28-0.35 BAR

Seeflow™ Leaves



BAMBOO RING
VOR 7787


Dimensions
44×26×10 in
111×66×25 cm

Flow
1-3 GPM
4-11 LPM

Safeswap N°2

Pressure
1-3 PSI
0.1-0.2 BAR

Seeflow™ Accent



SPIROO
VOR 7799

Dimensions
39×15×10 in
99×38×25 cm

Flow
3-5 GPM
11-19 LPM

Safeswap N°2

Pressure
3-5 PSI
0.2-0.4 BAR

Seeflow™ Leaf



BAMBOO RAIN
VOR 7730

Dimensions
119×77×10 in
302×195×25 cm

Flow
5-14 GPM
19-53 LPM

Safeswap N°2

Pressure
5-10 PSI
0.3-0.7 BAR

Seeflow™ Accent



HELICO NANO
VOR 7798


Dimensions
132×82×10 in
335×208×25 cm

Flow
10-15 GPM
37-56 LPM

Safeswap N°2

Pressure
7-10 PSI
0.5-0.7 BAR

Seeflow™ Leaves



BAMBOO STEM N°2
VOR 7728

Dimensions
123×34×10 in
312×86×25 cm

Flow
1-3 GPM
4-11 LPM

Safeswap N°2

Pressure
7-10 PSI
0.5-0.7 BAR

Seeflow™ Accent



HELICO
VOR 7790

Dimensions
177×122×11 in
459×309×28 cm

Flow
14-20 GPM
53-76 LPM

Safeswap N°2

Pressure
11-16 PSI
0.8-1.1 BAR

Seeflow™ Leaves





AQUA DOME N°1


VOR 0555

Dimensions
45x14x14 in
114x36x36 cm

Pressure
5-10 PSI
0.3-0.7 BAR

Flow
10-18 GPM
38-68 LPM

Safeswap N°1



ARCH

VOR 0515

Dimensions
87x74x14 in
221x188x36 cm

Pressure
10-25 PSI
0.7-1.7 BAR

Flow
9-18 GPM
34-68 LPM

Safeswap N°1 X2



AQUA DOME N°2


VOR 7530

Dimensions
72x14x14 in
183x36x36 cm

Pressure
5-10 PSI
0.3-0.7 BAR

Flow
10-18 GPM
38-68 LPM

Safeswap N°1



SPRAY LOOP


VOR 0519

Dimensions
64x4x76 in
163x11x194 cm

Pressure
10-25 PSI
0.7-1.7 BAR

Flow
5-10 GPM
19-38 LPM

Safeswap N°2 X2



LOOP N°1

VOR 7719

Dimensions
50x23x11 in
127x58x27 cm

Pressure
5-7 PSI
0.3-0.5 BAR

Flow
4-6 GPM
15-23 LPM

Safeswap N°2



RAINBOW N°2


VOR 0548

Dimensions
81x167x41 in
205x424x104cm

Pressure
10-25 PSI
0.7-1.7 BAR

Flow
15-30 GPM
57-114 LPM

Safeswap N°2 X6



LOOP N°2

VOR 7553

Dimensions
50x11x21 in
128x27x54 cm

Pressure
5-7 PSI
0.3-0.5 BAR

Flow
4-6 GPM
15-23 LPM

Safeswap N°2



SPRAY LOOP W GRAPHICS

VOR 8654

Dimensions
71x4x76 in
180x11x194 cm

Pressure
10-25 PSI
0.7-1.7 BAR

Flow
5-10 GPM
19-38 LPM

Safeswap N°2 X2

* Made for custom graphics



SPRAY CANNON


VOR 0201

Dimensions
40x19x14 in
102x36x49 cm

Pressure
5-7 PSI
0.3-0.5 BAR

Flow
4-6 GPM
15-23 LPM

Safeswap N°1



SUNSPRAY N°1


VOR 7578

Dimensions
121x14x26 in
307x36x66 cm

Pressure
15-20 PSI
1.0-1.4 BAR

Flow
10-15 GPM
38-57 LPM

Safeswap N°2



TUBE N°1

VOR 0220

Dimensions
46x11x26 in
118x27x65 cm

Pressure
5-7 PSI
0.3-0.5 BAR

Flow
4-6 GPM
15-23 LPM

Safeswap N°2



PLUX CANE

VOR 7395

Dimensions
123x56x14 in
312x142x36 cm

Pressure
10-15 PSI
0.7-1.0 BAR

Flow
10-20 GPM
38-76 LPM

Safeswap N°1



WATERBUG N°2

VOR 7581

Dimensions
22x18x20 in
57x46x51 cm

Pressure
5-10 PSI
0.3-0.7 BAR

Flow
5-7 GPM
19-26 LPM

Safeswap N°1

* Available with custom graphics



BUCKET TRIO

VOR 0103

Dimensions
129x87x77 in
328x221x196 cm

Pressure
5-10 PSI
0.3-0.7 BAR

Flow
9-15 GPM
34-57 LPM

Buckets



Safeswap N°1

*Can be of different colors

* Available with custom graphics



WATERBUG N°3

VOR 7582

Dimensions
22x18x20 in
57x64x51 cm

Pressure
5-10 PSI
0.3-0.7 BAR

Flow
5-7 GPM
19-26 LPM

Safeswap N°1

* Available with custom graphics



FUMBLING FIVE

VOR 7384

Dimensions
129x97x82 in
328x246x246 cm

Pressure
5-10 PSI
0.3-0.7 BAR

Flow
15-25 GPM
57-95 LPM

Buckets*



Safeswap N°1

*Can be of different colors

* Available with custom graphics



TWINSPLASH

VOR 7242

Dimensions
182x57x35 in
463x144x114 cm

Pressure
9-10 PSI
0.6-0.7 BAR

Flow
9-15 GPM
34-57 LPM

Seeflow™ Roof



Safeswap N°1 only x1

* Available with custom graphics



SPLASH TRIO

VOR 7603

Dimensions
119x92x82 in
303x235x208 cm

Pressure
5-10 PSI
0.3-0.7 BAR

Flow
9-15 GPM
34-57 LPM

Seeflow™ Buckets*



Safeswap N°1

*All of same color



SUPERSPLASH N° 2

VOR 0130

Dimensions
251x88x129 in
637x223x326 cm

Pressure
10-15 PSI
0.7-1.0 BAR

Flow
25-38 GPM
95-144 LPM

Seeflow™ Roof



Safeswap N°1 X4

* Available with custom graphics



SPLASH FIVE

VOR 7604

Dimensions
119x100x96 in
303x253x243 cm

Pressure
5-10 PSI
0.3-0.7 BAR


Flow
15-25 GPM
57-95 LPM

Seeflow™ Buckets*



Safeswap N°1

*All of same color



SUPERWAVE

VOR 0136

Dimensions
247x67x156 in
629x170x396 cm


Pressure
5-10 PSI
0.3-0.7 BAR

Flow
25-35 GPM
95-132 LPM

Seeflow™ Roof/Wheel



Safeswap N°1 X4



SMALL KITE
VOR 8732


Dimensions
170x84x63 in
431x213x160 cm

Flow
9-18 GPM
34-68 LPM

Safeswap N°2

Pressure
5-10 PSI
0.3-0.7 BAR

Seeflow™ Kite

LARGE KITE
VOR 8731

Dimensions
194x84x63 in
492x213x160 cm

Flow
9-18 GPM
34-68 LPM

Safeswap N°2

Pressure
5-10 PSI
0.3-0.7 BAR

Seeflow™ Kite


NEW



TRACTOR LOOP
VOR 8852

Dimensions
98x11x138 in
249x28x350 cm

Flow
5-7 GPM
19-26 LPM

Safeswap N°2 X3
* Fix color combinations

Pressure
10-14 PSI
0.7-1.0 BAR

Seeflow™ Panels




SINGLE TEEPEE
VOR 8746

Dimensions
118x11x107 in
300x28x272 cm

Flow
5-10 GPM
19-38 LPM

Safeswap N°2 X2
* Available with custom graphics

Pressure
10-25 PSI
0.7-1.7 BAR



WATER TOWER
VOR 406

Dimensions
138x58x96 in
350x147x243 cm

Flow
20-30 GPM
76-113 LPM

Safeswap N°2 X3
* Available with custom graphics

Pressure
10-20 PSI
0.7-1.4 BAR

Panels


Water Journey™
Product Index



WATER JOURNEY - LABYRINTH
VOR 7120

Dimensions
9x194x315 in
22.2x492x799 cm

Flow
7-8 GPM
26-30 LPM

* Fix color proposition

Pressure
10-15 PSI
0.7-1.0 BAR



WATER JOURNEY-TIDE POOL
VOR 7122

Dimensions
4x146x252 in
8x370x640 cm

Flow
7-8 GPM
26-30 LPM

* Fix color proposition

Pressure
10-15 PSI
0.7-1.0 BAR




WATER JOURNEY - RACES
VOR 7121

Dimensions
7x194x315 in
18x492x799 cm

Flow
7-8 GPM
26-30 LPM

* Fix color proposition

Pressure
10-15 PSI
0.7-1.0 BAR




ALTO N°1
VOR 7130

Dimensions
23×50×51 in
58×127×130 cm

Flow
5-8 GPM
19-30 LPM

Safeswap N°2
* Fix color combinations

Pressure
2-3 PSI
0.1-0.2 BAR




HOP N°1
VOR 7133

Dimensions
0.9×28×30 in
2.2×71×76 cm

Flow
8-12 GPM
30-45 LPM

* Limited color proposition

Pressure
2-3 PSI
0.1-0.2 BAR



ALTO N°2
VOR 7131

Dimensions
23×50×51 in
58×127×130 cm

Flow
10-15 GPM
38-57 LPM

Safeswap N°2
* Fix color combinations

Pressure
2-3 PSI
0.1-0.2 BAR




HOP N°2
VOR 7134

Dimensions
0.9×15×48 in
2.2×38×122 cm

Flow
8-12 GPM
30-45 LPM

* Limited color proposition

Pressure
2-3 PSI
0.1-0.2 BAR



ALTO N°3
VOR 7132

Dimensions
23×75×73 in
58×190×185 cm

Flow
13-18 GPM
49-68 LPM

* Specific Safeswap w Hops
* Fix color combinations

Pressure
2-3 PSI
0.1-0.2 BAR




ALTO BEACH
VOR 7252

Dimensions
23×50×51 in
58×127×130 cm

Flow
10-15 GPM
38-57 LPM

Safeswap N°2
* Fix color proposition

Pressure
2-3 PSI
0.1-0.2 BAR




PICO N°1
VOR 7127

Dimensions
19×41×39 in
48×104×99 cm

Flow
5-8 GPM
19-30 LPM

Safeswap N°2
* Fix color combinations

Pressure
2-3 PSI
0.1-0.2 BAR




PICO BEACH
VOR 7253

Dimensions
20×41×39 in
51×104×99 cm

Flow
8-12 GPM
30-45 LPM

Safeswap N°2
* Fix color proposition

Pressure
4-6 PSI
0.3-0.4 BAR



PICO N°2
VOR 7128

Dimensions
20×41×39 in
51×104×99 cm

Flow
8-12 GPM
30-45 LPM

Safeswap N°2
* Fix color combinations

Pressure
4-6 PSI
0.3-0.4 BAR




HOP STARFISH
VOR 7254

Dimensions
1×14.5×14 in
2.5×37×36 cm

Flow
3-4 GPM
11-15 LPM

Pressure
1-2 PSI
0.1-0.2 BAR



PICO N°3
VOR 7129

Dimensions
19×41×39 in
48×104×99 cm

Flow
10-15 GPM
38-57 LPM

Safeswap N°2
* Fix color combinations


Pressure
2-3 PSI
0.1-0.2 BAR



SPRAYLINK JET N°1
VOR 3000

Dimensions	Pressure
0x5.3x5.3 in 0x13.5x13.5 cm	2-4 PSI 0.1-0.3 BAR
Flow	Recommended Height
2-3 GPM 7.5-11 LPM	5' / 152 cm

Possible with Fast Acting Valve (FAV)



SPRAYLINK BLOOM
VOR 3006

Dimensions	Pressure
0x5.3x5.3 in 0x13.5x13.5 cm	3-4 PSI 0.2-0.3BAR
Flow	Recommended Height
7-9 GPM 26.5-34 LPM	6' / 183 cm


Possible with Fast Acting Valve (FAV)



SPRAYLINK JET N°2
VOR 3001

Dimensions	Pressure
0x5.3x5.3 in 0x13.5x13.5 cm	1-2 PSI 0.1-0.15 BAR
Flow	Recommended Height
4-6 GPM 15-22.5 LPM	3' / 91 cm


Possible with Fast Acting Valve (FAV)



SPRAYLINK FOUNTAIN
VOR 3007

Dimensions	Pressure
0x5.3x5.3 in 0x13.5x13.5 cm	3-5 PSI 0.2-0.3 BAR
Flow	Recommended Height
5-7 GPM 19-26.5 LPM	6' / 183 cm

Possible with Fast Acting Valve (FAV)



SPRAYLINK ARCH
VOR 3002


Dimensions	Pressure
0x5.3x5.3 in 0x13.5x13.5 cm	2-6 PSI 0.1-0.4 BAR
Flow	Recommended Length / Height
1-2 GPM 4-7.5 LPM	7' (213 cm) / 4' (123 cm)

Possible with Fast Acting Valve (FAV)



SPRAYLINK FUNNEL
VOR 3008

Dimensions	Pressure
0x5.3x5.3 in 0x13.5x13.5 cm	1-2 PSI 0.1-0.2 BAR
Flow	Recommended Height
6-8 GPM 23-30 LPM	6"-12" / 15-30 cm



SPRAYLINK SPLIT
VOR 3003


Dimensions	Pressure
0x5.3x5.3 in 0x13.5x13.5 cm	3-4 PSI 0.2-0.3 BAR
Flow	Recommended Length / Height
2-3 GPM 7.5-11 LPM	6' (183 cm) / 4' (123 cm)

Possible with Fast Acting Valve (FAV)



SPRAYLINK PODSPRAY
VOR 3009


Dimensions	Pressure
0x5.3x5.3 in 0x13.5x13.5 cm	4-10 PSI 0.3-0.7 BAR
Flow	Recommended Height
3-5 GPM 11-19 LPM	3' / 91 cm



SPRAYLINK FAN
VOR 3004

Dimensions	Pressure
0x5.3x5.3 in 0x13.5x13.5 cm	4-6 PSI 0.3-0.4 BAR
Flow	Recommended Length / Height
6-8 GPM 22.5-30 LPM	10' (305 cm) / 3' (91 cm)


Possible with Fast Acting Valve (FAV)



SPRAYLINK GEYSER
VOR 3005

Dimensions	Pressure
0x5.3x5.3 in 0x13.5x13.5 cm	2-4 PSI 0.1-0.3 BAR
Flow	Recommended Height
4-6 GPM 15-23 LPM	5' / 152 cm

Possible with Fast Acting Valve (FAV)



SPRAYLINK WALL N°1


VOR 3050

Dimensions
0x5.3x35.3 in
0x13.5x90 cm

Flow
8-11 GPM
30-41.5 LPM

Pressure
2-4 PSI
0.1-0.3 BAR

Recommended Height
5' / 152 cm



SPRAYLINK CURVE


VOR 3056

Dimensions
0x17.7x42.2 in
0x145x107 cm

Flow
8-11 GPM
30-41.5 LPM

Pressure
2-4 PSI
0.1-0.3 BAR

Recommended Height
5' / 152 cm



SPRAYLINK WALL N°2


VOR 3051

Dimensions
0x5.3x75.3 in
0x13.5x191 cm

Flow
16-22 GPM
60.5-83 LPM

Pressure
3-5 PSI
0.2-0.3 BAR

Recommended Height
5' / 152 cm



SPRAYLINK WAVE


VOR 3057

Dimensions
0x38x85 in
0x96x215 cm

Flow
16-18 GPM
60-68 LPM

Pressure
3-4 PSI
0.2-0.3 BAR

Recommended Height
5' / 152 cm



SPRAYLINK ZIG-ZAG


VOR 3052

Dimensions
0x40x119 in
0x102x302 cm

Flow
24-33 GPM
91-125 LPM

Pressure
4-6 PSI
0.3-0.4 BAR

Recommended Height
5' / 152 cm



SPRAYLINK CYLINDER


VOR 3058

Dimensions
0x51x51 in
0x130x130 cm

Flow
18-20 GPM
68-76 LPM

Pressure
3-4 PSI
0.2-0.3 BAR

Recommended Height
5' / 152 cm



SPRAYLINK BOX


VOR 3053

Dimensions
0x67x67 in
0x171x171 cm

Flow
36-44 GPM
136-166 LPM

Pressure
8-10 PSI
0.5-0.7 BAR

Recommended Height
5' / 152 cm



SPRAYLINK TEAM N°1


VOR 3059

Dimensions
0x45x41 in
0x115x105 cm

Flow
10-12 GPM
38-45 LPM

Pressure
2-3 PSI
0.1-0.2 BAR

Recommended Height
4' / 122 cm



SPRAYLINK TUNNEL N°1


VOR 3054

Dimensions
0x5.3x47 in
0x13.5x120 cm

Flow
3-5 GPM
11-19 LPM

Pressure
4-6 PSI
0.3-0.4 BAR

Recommended Length / Height
7' (213 cm) / 4' (123 cm)



SPRAYLINK TEAM N°2


VOR 3060

Dimensions
0x5.3x55 in
0x13.5x140 cm

Flow
10-12 GPM
38-45 LPM

Pressure
2-3 PSI
0.1-0.2 BAR

Recommended Height
4' / 122 cm



SPRAYLINK TUNNEL N°2

VOR 3055

Dimensions
0x5.3x103 in
0x13.5x262 cm

Flow
6-10 GPM
23-38 LPM

Pressure
5-7 PSI
0.3-0.5 BAR

Recommended Length / Height
7' (213 cm) / 4' (123 cm)



SPRAYLINK TEAM N°3

VOR 3061

Dimensions
0x28x50 in
0x72x127 cm

Flow
10-12 GPM
38-45 LPM

Pressure
2-3 PSI
0.1-0.2 BAR

Recommended Height
4' / 122 cm



SPRAYLINK QUAD N°1

VOR 3062

Dimensions
 0×30×30 in
 0×76×76cm

Flow
 24-28 GPM
 90-106 LPM

Pressure
 1-2 PSI
 0.1-0.15 BAR

Recommended Height
 6" / 15 cm

SPRAYLINK QUAD N°3

VOR 3064

Dimensions
 0×30×30 in
 0×76×76cm

Flow
 7-10 GPM
 26-38 LPM

Pressure
 2-3 PSI
 0.1-0.2 BAR

Recommended Length / Height
 6' (183 cm) / 4' (123 cm)


SPRAYLINK QUAD N°2

VOR 3063

Dimensions
 0×30×30 in
 0×76×76cm

Flow
 16-19 GPM
 60-72 LPM

Pressure
 1-2 PSI
 0.1-0.15 BAR

Recommended Height
 3" / 91 cm

SPRAYLINK QUAD N°4


VOR 3065

Dimensions
 0×30×30 in
 0×76×76cm

Flow
 14-24 GPM
 53-91 LPM

Pressure
 2-4 PSI
 0.1-0.3 BAR

Recommended Height
 5' / 152 cm



DIRECTIONAL JET N°1

VOR 0305


Dimensions
0x3x3 in
0x8x8 cm

Pressure
2-8 PSI
0.1-0.5 BAR

Flow
1-3 GPM
4-11 LPM

Recommended Length / Height
6' (183 cm) / 5' (152cm)

Possible with Fast Acting Valve (FAV)



DIRECTIONAL JET N°2

VOR 0321


Dimensions
0x3x3 in
0x7x7 cm

Pressure
5-8 PSI
0.3-0.5 BAR

Flow
2-4 GPM
8-15 LPM

Recommended Length / Height
6' (183 cm) / 5' (152cm)

Possible with Fast Acting Valve (FAV)



DIRECTIONAL JET N°3

VOR 0335


Dimensions
0x3x3 in
0x8x8 cm

Pressure
7-11 PSI
0.5-0.8 BAR

Flow
2-4 GPM
8-15 LPM

Recommended Length / Height
6' (183 cm) / 5' (152cm)

Possible with Fast Acting Valve (FAV)



GUSHER

VOR 0300

Dimensions
0x4.5x4.5 in
0x11x11 cm

Pressure
3-6 PSI
0.2-0.4 BAR

Flow
11-17 GPM
42-64 LPM

Recommended Height
5' / 152 cm

Possible with Fast Acting Valve (FAV)



GEYSER N°1

VOR 0301


Dimensions
0x3x3 in
0x8x8 cm

Pressure
2-5 PSI
0.1-0.3 BAR

Flow
4-10 GPM
15-38 LPM

Recommended Height
5' / 152 cm

Possible with Fast Acting Valve (FAV)



GEYSER N°2

VOR 0331

Dimensions
0x3x3 in
0x8x8 cm

Pressure
3-8 PSI
0.2-0.6 BAR

Flow
5-15 GPM
19-57 LPM

Recommended Height
5' / 152 cm

Possible with Fast Acting Valve (FAV)



JET STREAM N°1

VOR 7512

Dimensions
0x3x3 in
0x8x8 cm

Pressure
5-10 PSI
0.3-0.7 BAR

Flow
2-3 GPM
8-11 LPM

Recommended Height
5' / 152 cm

Possible with Fast Acting Valve (FAV)



JET STREAM N°2

VOR 0325


Dimensions
0x4.5x4.5 in
0x11x11 cm

Pressure
3-5 PSI
0.2-0.3 BAR

Flow
3-5 GPM
11-19 LPM

Recommended Height
3' / 91 cm

Possible with Fast Acting Valve (FAV)



FOUNTAIN SPRAY N°1

VOR 7513


Dimensions
0x3x3 in
0x8x8 cm

Pressure
5-10 PSI
0.3-0.7 BAR

Flow
3-7 GPM
11-26 LPM

Recommended Height
6' / 183 cm

Possible with Fast Acting Valve (FAV)



FOUNTAIN SPRAY N°2

VOR 7676


Dimensions
0x3x3 in
0x8x8 cm

Pressure
5-10 PSI
0.3-0.7 BAR

Flow
1-5 GPM
4-19 LPM

Recommended Height
6' / 183 cm

Possible with Fast Acting Valve (FAV)



WATER BLOOM N°1

VOR 0322


Dimensions
0x3x3 in
0x7x7 cm

Pressure
4-8 PSI
0.3-0.6 BAR

Flow
7-11 GPM
26-42 LPM

Recommended Height
6' / 183 cm

Possible with Fast Acting Valve (FAV)



WATER BLOOM N°2

VOR 0329


Dimensions
0x4.5x4.5 in
0x11x11 cm

Pressure
4-8 PSI
0.3-0.6 BAR

Flow
7-11 GPM
26-42 LPM

Recommended Height
5' / 152 cm

Possible with Fast Acting Valve (FAV)



ROOSTER TAIL
VOR 0303

Dimensions
0x4.5x4.5 in
0x11x11 cm

Flow
8-10 GPM
30-38 LPM

Pressure
8-10 PSI
0.5-0.7 BAR

**Recommended
Length / Height**
10' (305 cm) / 3' (91cm)

Possible with Fast Acting Valve (FAV)




WATER JELLY N°1
VOR 7010

Dimensions
0x4.5x4.5 in
0x11x11 cm

Flow
5-7 GPM
19-26 LPM

Pressure
3-5 PSI
0.2-0.3 BAR

**Recommended
Height**
6"-12" / 15-30 cm



SIDE WINDER
VOR 7518

Dimensions
0x4.5x4.5 in
0x11x11 cm

Flow
5-8 GPM
19-30 LPM

Pressure
1-5 PSI
0.1-0.3 BAR

**Recommended
Height**
5' / 152 cm

Possible with Fast Acting Valve (FAV)




WATER JELLY N°3
VOR 7032

Dimensions
0x36x42 in
0x91x107 cm

Flow
15-20 GPM
57-76 LPM

Pressure
3-5 PSI
0.2-0.3 BAR

**Recommended
Height**
6"-12" / 15-30 cm




SPARKLE N°1
VOR 0324

Dimensions
0x4.5x4.5 in
0x11x11 cm

Flow
2-4 GPM
8-15 LPM

Pressure
2-6 PSI
0.1-0.4 BAR

**Recommended
Height**
4' / 122 cm




WALL WAVE
VOR 0326

Dimensions
0x4.5x4.5 in
0x11x11 cm

Flow
4-7 GPM
15-26 LPM

Pressure
1-4 PSI
0.1-0.3 BAR




SPIDEY SPRAY N°2
VOR 7674

Dimensions
0x4.5x4.5 in
0x11x11 cm

Flow
7-10 GPM
26-38 LPM

Pressure
2-5 PSI
0.1-0.3 BAR

**Recommended
Height**
3' / 92 cm



WALL SPRAY
VOR 0302

Dimensions
0x4.5x4.5 in
0x11x11 cm

Flow
8-10 GPM
30-38 LPM

Pressure
5-10 PSI
0.3-0.7 BAR



SPLIT STREAM
VOR 7516


Dimensions
0x4.5x4.5 in
0x11x11 cm

Flow
2-4 GPM
8-15 LPM

Pressure
3-6 PSI
0.2-0.4 BAR

**Recommended
Length / Height**
6' (183 cm) / 4' (122cm)

Possible with Fast Acting Valve (FAV)



MAGIC MIST N°2
VOR 8099

Dimensions
0x4.5x4.5 in
0x11x11 cm

Flow
3-6 GPM
11-23 LPM

Pressure
10-25 PSI
0.7-1.7 BAR




WAVE
VOR 0327

Dimensions
0x4.5x4.5 in
0x11x11 cm

Flow
4-7 GPM
15-26 LPM

Pressure
1-4 PSI
0.1-0.3 BAR

**Recommended
Length / Height**
5' (152 cm) / 4' (122cm)




FOAMING GEYSER N°2
VOR 8084

Dimensions
1x11x11 in
2.5x28x28 cm

Flow
8-20 GPM
30-76 LPM

Pressure
2-5 PSI
0.1-0.3 BAR

**Recommended
Height**
3' / 92 cm



TEAM SPRAY N°3


VOR 0328

Dimensions
0x36x18 in
0x91x46 cm

Flow
12-15 GPM
45-57 LPM

Pressure
1-5 PSI
0.1-0.3 BAR

**Recommended
Height**
4' / 122 cm



TEAM SPRAY N°1


VOR 7640

Dimensions
1x44x93 in
3x112x236 cm

Flow
15-20 GPM
57-76 LPM

Pressure
1-5 PSI
0.1-0.3 BAR

**Recommended
Height**
4' / 122 cm



WATER TUNNEL N°2


VOR 0309

Dimensions
0x3x56 in
0x8x142 cm

Flow
8-16 GPM
30-60 LPM

Pressure
7-11 PSI
0.5-0.8 BAR

**Recommended
Length / Height**
6' (183 cm) / 5' (152cm)



WATER WALL N°1

VOR 0318

Dimensions
0x3x51 in
0x8x130 cm

Flow
15-20 GPM
57-76 LPM

Pressure
7-11 PSI
0.5-0.8 BAR

**Recommended
Height**
5' / 152 cm



WATER TUNNEL N°1


VOR 0304

Dimensions
0x3x120 in
0x8x305 cm

Flow
16-32GPM
61-121 LPM

Pressure
7-11 PSI
0.5-0.8 BAR

**Recommended
Length / Height**
6' (183 cm) / 5' (152cm)



CYLINDER SPRAY


VOR 0307

Dimensions
0x38x38 in
0x97x97 cm

Flow
28-36 GPM
106-136 LPM

Pressure
11-13 PSI
0.8-0.9 BAR

**Recommended
Height**
5' / 152 cm



WATER TUNNEL N°3


VOR 7641

Dimensions
0x44x86 in
0x111x217cm

Flow
16-32 GPM
61-121 LPM

Pressure
5-8 PSI
0.3-0.5 BAR

**Recommended
Length / Height**
5' (152 cm) / 6' (183cm)



DONUT SPRAY

VOR 0306

Dimensions
0x26x26 in
0x66x66 cm

Flow
28-36 GPM
106-136 LPM

Pressure
3-5 PSI
0.2-0.3 BAR

**Recommended
Length / Height**
6' (183 cm) / 5' (152cm)



CASCADE RIVER
VOR 7249

Dimensions
65x47x153 in
164x118x389 cm

Flow
4-6 GPM
15-23 LPM

Orbs



Pressure
3-4 PSI
0.2-0.3 BAR


Seeflow™ Bowls/Waves



Seeflow™ Pond



Safeswap N°2 only x1



SLIDENUK
VOR 7257

Dimensions
53x33x117 in
135x84x297 cm


Flow
8-15 GPM
30-53 LPM

No Safeswap

* Limited color proposition

* Available with custom graphics

Pressure
1.5-2.5 PSI
0.1-0.2 BAR



CASCADE LOOP
VOR 7250

Dimensions
71x73x72 in
180x186x182 cm

Flow
4-6 GPM
15-23 LPM

Orbs



Pressure
3-4 PSI
0.2-0.3 BAR

Seeflow™ Bowls/Waves



Seeflow™ Pond



Safeswap N°2 only x1



UMBRELLA
VOR 0114

Dimensions
120x60x60 in
305x152x152 cm

Flow
50-100 GPM
189-378 LPM

Safeswap N°1

Pressure
5-15 PSI
0.3-1.0 BAR



CASCADE RAINFOREST
VOR 7251

Dimensions
89x114x168 in
226x290x426 cm

Flow
WATER LINE 1
(HIGH BASINS)
12-20 GPM
45-76 LPM

Seeflow™ Pond



Orbs



Pressure
3-4 PSI
0.2-0.3 BAR

WATER LINE 2
(LOW BASINS)
8-12 GPM
30-45 LPM

Seeflow™ Bowls/Waves



Safeswap N°2 x4



POOL BUBBLER
VOR 1107

Dimensions
0x4.5x4.5 in
0x11x11 cm

Flow
20-40 GPM
76-151 LPM

* Must be submerged in 4"-8" (10-20cm) of water

Pressure
5-11 PSI
0.3-0.8 BAR



RIO NANO N°1
VOR 7695

Dimensions
86x175x38 in
218x444x96 cm

Flow
3-6 GPM
11-23 LPM

Pressure
5-10 PSI
0.3-0.7 BAR

Seeflow™ Buckets


Safeswap N°2 only x1



RIO GRANDE N°1
VOR 7693


Dimensions
143x175x181 in
363x444x459 cm

Flow
15-30 GPM
57-114 LPM

Pressure
10-15 PSI
0.7-1.0 BAR

Seeflow™ Buckets


Safeswap N°2 only x2



RIO NANO N°2
VOR 7696

Dimensions
86x196x38 in
218x497x96 cm

Flow
4-8 GPM
15-30 LPM

Pressure
5-10 PSI
0.3-0.7 BAR

Seeflow™ Buckets


Safeswap N°2 only x1



RIO GRANDE N°2
VOR 7694

Dimensions
143x196x181 in
363x497x459 cm

Flow
20-40 GPM
76-151 LPM

Pressure
10-15 PSI
0.7-1.0 BAR

Seeflow™ Buckets


Safeswap N°2 only x2



RIO SPLASH TRIO
VOR 7605

Dimensions
119x141x95 in
303x359x242 cm

Flow
9-15 GPM
34-57 LPM

Pressure
5-10 PSI
0.3-0.7 BAR

Seeflow™ Buckets


Safeswap N°1



RIO WATERFALL
VOR 7243

Dimensions
90x39x10 in
228x99x25 cm

Flow
75-90 GPM
283-341 LPM

Pressure
20 PSI
1.4 BAR

Safeswap N°2



RIO WATER CURTAIN
VOR 7244


Dimensions
90x77x10 in
228x195x25 cm

Flow
75-90 GPM
283-341 LPM

Pressure
20 PSI
1.4 BAR

Safeswap N°2

SERENE EXPERIENCE



COREOPLAY™ SUNSET
VOR 7060


Dimensions
13×141×0 in
34×359×0 cm

Flow
20-30 GPM
76-113 LPM

Pressure
3-5 PSI
0.2-0.3 BAR

Recommended Height
4' / 122 cm

x5 separate lines (water-electric-drain)



COREOPLAY™ RAINBOW
VOR 7061


Dimensions
109×109×0 in
277×277×0 cm

Flow
32-48 GPM
121-181 LPM

Pressure
3-5 PSI
0.2-0.3 BAR

Recommended Height
4' / 122 cm

x8 separate lines (water-electric-drain)



COREOPLAY™ OCEAN
VOR 7062

Dimensions
157×157×0 in
399×399×0 cm


Flow
32-48 GPM
121-181 LPM

Pressure
3-5 PSI
0.2-0.3 BAR

Recommended Height
4' / 122 cm

x8 separate lines (water-electric-drain)

DYNAMIC EXPERIENCE (FAST ACTING VALVES)



COREOPLAY™ VOLCANO
VOR 7063

Dimensions
13×141×0 in
34×359×0 cm

Flow
20-30 GPM
76-113 LPM

Pressure
3-5 PSI
0.2-0.3 BAR

Recommended Height
4' / 122 cm

x5 separate lines (water-electric-drain)



COREOPLAY™ FIREWORK
VOR 7064


Dimensions
109×109×0 in
277×277×0 cm

Flow
32-48 GPM
121-181 LPM

Pressure
3-5 PSI
0.2-0.3 BAR

Recommended Height
4' / 122 cm

x8 separate lines (water-electric-drain)



COREOPLAY™ WAVE
VOR 7065

Dimensions
157×157×0 in
399×399×0 cm

Flow
32-48 GPM
121-181 LPM

Pressure
3-5 PSI
0.2-0.3 BAR

Recommended Height
4' / 122 cm

x8 separate lines (water-electric-drain)

COREOPLAY™ CREATION
FOR CUSTOM PROJECTS, CONTACT YOUR SALES REPRESENTATIVE FOR ASSISTANCE

NEW




ACTIVATOR N°4

VOR 0622

Dimensions
39x14x14 in
94x36x36 cm

Surface Mount



PLAYSAFE DRAIN N°4

VOR 1004

Dimensions
0x22x22 in
0x56x56 cm

Flow

240 GPM (300 GPM MAX)
908 LPM (1135 LPM MAX)

NEW



GROUND ACTIVATOR

VOR 0621

Dimensions
0x6x6 in
0x15x15 cm



PUSH BUTTON ACTIVATOR

VOR 0604, 0605

Dimensions
38x25x25 in
96.5x63.5x63.5 cm

VOR 0604: 1 water line
VOR 0605: 3 water lines



LED LIGHT RGB

VOR 7050

Dimensions
0x7x7 in
0x18x18 cm

Pressure
0-0 PSI
0.0-0.0 BAR

LED LIGHT RGBW NORTH AMERICA

VOR 7056

Dimensions
0x9x9 in
0x22x22 cm

Pressure
0-0 PSI
0.0-0.0 BAR

FINE MIST



GLOMIST NANO
VOR 7248

Dimensions
86×10×14 in
218×25×36 cm

Pressure
20-30 PSI
1.4-2.0 BAR

Flow
0.1-0.3 GPM
0.4-1.1 LPM

* Specific Safeswap
* Available with integrated activation



GLOMIST
VOR 7247

Dimensions
108×10×16 in
275×25×41 cm


Pressure
20-30 PSI
1.4-2.0 BAR

Flow
0.3-0.5 GPM
1.1-1.9 LPM

* Specific Safeswap
* Available with integrated activation

ABRIO

NEW



ABRIO 1
VOR 3501


Dimensions
11'5"×12'×12' ft
3.48×3.66×3.66 m

Pressure
30-35 PSI
2.1-2.4 BAR

Flow
1.1-1.5 GPM
4.2-5.7 LPM

* Available without River Maze VOR 3501B

NEW



ABRIO 2
VOR 3502


Dimensions
12'9"×15'2"×17'2" ft
3.89×4.62×5.23 m

Pressure
30-35 PSI
2.1-2.4 BAR

Flow
1.3-1.8 GPM
4.9-6.8 LPM

* Available without River Maze VOR 3502B

NEW




ABRIO 3
VOR 3503

Dimensions
12'9"×20'3"×20'3" ft
3.89×6.17×6.17 m

Pressure
30-35 PSI
2.1-2.4 BAR

Flow
1.4-2.1 GPM
5.3-7.9 LPM

NEW



ABRIO 4
VOR 3504

Dimensions
11'5"×16'2"×16'5" ft
3.48×4.93×5.0 m

Pressure
30-35 PSI
2.1-2.4 BAR

Flow
0.6-0.9 GPM
2.3-3.4 LPM

* Available without River Maze VOR 3504B

NEW



ABRIO 5
VOR 3505

Dimensions
12'9"×16'2"×21'3" ft
3.89×4.93×6.48 m

Pressure
30-35 PSI
2.1-2.4 BAR

Flow
1.1-1.5 GPM
4.2-5.7 LPM

* Available without River Maze VOR 3505B

NEW



ABRIO 6
VOR 3506

Dimensions
12'9"×24'4"×21'3" ft
3.89×7.42×6.48 m

Pressure
30-35 PSI
2.1-2.4 BAR


Flow
1.3-1.8 GPM
4.9-6.8 LPM

NOTES FOR ALL ABRIO CONFIGURATIONS

*Sprayzone is not identified due to low flow of the mist and soft rain. It is subject to wind intensity, direction and natural evaporation of the site.

*Soft rain and mist feature are always interchangeable at order


MAESTROPRO™

SMARTFLOW™ LOGICS
SMARTFLOW™ COMMAND CENTER

SMARTPOINT™ N°1
 1-10 valves

 Electrical connections required
 Available with post or foot activator

SMARTPOINT™ N°4
 1-4 valves

 Rechargeable battery operated
 Available with post or foot activator

 Optional separate solar post for
 battery recharge

CABINET (ECCC 2.0)
 1-10 valves
 11-15 valves
 16-20 valves

WALL MOUNT (WCC 2.0)
 1-5 valves
 6-10 valves
 11-15 valves
 16-20 valves

VAULT (VCC)
 1-10 valves
 11-20 valves

RECIRCULATION COMMAND CENTER

DOMEPACK

MODULAR